


BT-01 CHASSIS OPTION PARTS



Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels



BT-01 CHASSIS

51000	1	Hi-Torque Servo Saver (Black)
53569	2	Clamp Type Aluminum Wheel Hub (6mm Thick)
54894	3	Tamiya Brushless Motor 02 (Sensored) 17.5T
42102	4	TRF Special Damper (Hard Black Coating)
54559	5	TT-02 Low Friction Suspension Ball (4pcs.)
54875	6	TT-02 Oil Gear Differential Unit
53792	7	Assembly Universal Shaft (TT-01, TA04)
22026	8	MB-01 Full Ball Bearing Set
51023	9	Medium-Narrow Racing Radial Tires

51000 1

Hi-Torque Servo Saver (Black)

54863

※Use with Item 51000

Aluminum Hi-Torque Servo Saver Cap

54121

※Use with Item 51000

Aluminum Horn for Hi-Torque Servo Saver

54862

※1

Aluminum Servo Step Screws (4pcs.)

53569 2

Clamp Type Aluminum Wheel Hub (6mm Thick)

54573

0.75mm Wheel Spacer (Blue/8pcs.)

53646

Wheel Spacer (Blue)

※0.5mm×4 1mm×4

53642

5mm Aluminum Ball Connector (Blue)

53598

Fluorine Coated 5mm Aluminum Ball Connector (10pcs.)

54237

※2

M-05 Low Friction King Pin (4pcs.)

54409

※3

3x14mm Low Friction Step Screw (4pcs.)

53159

4mm Anodized Aluminum Flange Lock Nuts (Blue, 5pcs.)

54384

5mm Body Adjustment O-Ring (10pcs.)

54604

Body Mount Extension Set

54358

※4

RS-540 Torque-Tuned Motor

53068

※4

RS-540 Sport Tuned Motor

53983

※4

Lightly-Tuned Motor (28T)

53779

※4

GT-Tuned Motor (25T)

54895

※4

Tamiya Brushless Motor 02 (Sensored) 21.5T

54894 3

※4

Tamiya Brushless Motor 02 (Sensored) 17.5T

54612

※4

Tamiya Brushless Motor 02 (Sensored) 15.5T

42354

※5

TRF Big Bore Dampers+ (4pcs.)

42102 4

TRF Special Damper (Hard Black Coating)

50746

※6

CVA Super Mini Shock Unit Set

54753

※7

TT-02 CVA Super Mini Shock Unit Set (4pcs.)

42278

※8

TRF Damper Large Diameter Spring Set

42293

※8

TRF Damper Large Diameter Spring (Super Soft, 2pcs.)

53333

Touring Car Tuned Spring Set (Short Type)

54797

Touring Car Short Spring Set II

53163

On-Road Tuned Spring Set

53440

On-Road Tuned Hard Spring Set

54559 5

※9

TT-02 Low Friction Suspension Ball (4pcs.)

53663

※10

Ball Differential Set (TT-01, TGS)

22046

※10

XV-02/TT-02 Ball Differential Set (39T)

54875 6

※10

TT-02 Oil Gear Differential Unit

22049

※10

XV-02/TT-02 Oil Gear Differential Unit

BT-01 CHASSIS OPTION PARTS

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels

<p>53806 ※10</p>  <p>TT-01 Ball Differential Cup Joint for Universal Shaft</p>	<p>54477 ※10</p>  <p>Gearbox Joint for Universal Shaft (TT-02)</p>	<p>42300 ※10 ※11</p>  <p>Double Cardan Joint Shaft (M-Chassis, 2pcs.)</p>	<p>22054 ※10 ※11</p>  <p>37mm Drive Shafts for Double Cardan Joint Shafts (2pcs.)</p>	<p>53792 7 ※10 ※12</p>  <p>Assembly Universal Shaft (TT-01, TA04)</p>	<p>53506 ※Use with Item 53792</p>  <p>39mm Lightweight Rear Swing Shafts for Assembly Universal Shaft Set</p>
<p>51700 ※10 ※12</p>  <p>37mm Swing Shafts for Assembly Universal Shaft</p>	<p>54623 ※Use with Item 53597</p>  <p>M-Chassis Wheel Axle w/Axle Ring</p>	<p>54996</p>  <p>M-Chassis Lightweight One-Piece Aluminum Axle & Hub Set</p>	<p>54343</p>  <p>M-Chassis Lightweight Freewheel Axle</p>	<p>54183</p>  <p>M-Chassis Reinforced Freewheel Axle Set</p>	<p>22026 8</p>  <p>MB-01 Full Ball Bearing Set</p>
<p>50356 ※Not compatible with 21T</p>  <p>20T, 21T AV Pinion Gear Set</p>	<p>50357 ※Not compatible with 23T</p>  <p>22T, 23T AV Pinion Gear Set</p>	<p>50477 ※Not compatible with 25T</p>  <p>24T, 25T AV Pinion Gear Set</p>	<p>50810 26mm</p>  <p>Racing Semi-Slick Tires (1 pair)</p>	<p>50476 26mm</p>  <p>Rally Block Tires (1 pair)</p>	<p>54861 26mm</p>  <p>Rally Block Tires (Soft/2pcs.)</p>
<p>53113 26mm</p>  <p>Racing Radial/Slick Inner Sponge Set</p>	<p>53156 26mm</p>  <p>Hard Inner Sponge Set (4WD/FWD Touring & Rally Car)</p>	<p>53295 26mm</p>  <p>Tire Inner Foam</p>	<p>53232 26mm</p>  <p>1/10 One-Piece Racing Spoke Wheels (1 pair)</p>	<p>54674 26mm</p>  <p>White Split 5-Spoke Wheels (26mm Width, Offset +2) 4pcs.</p>	<p>51021 26mm</p>  <p>Rally Dish Wheels 4pcs. (White, 26mm/+2)</p>
<p>51023 9 24mm</p>  <p>Medium-Narrow Racing Radial Tires</p>	<p>51049 24mm</p>  <p>Medium-Narrow Racing Slicks</p>	<p>54994 24mm</p>  <p>Reinforced Racing Tires (Soft, 24mm/2pcs.)</p>	<p>22000 24mm</p>  <p>Reinforced Racing Tires (Medium, 24mm/2pcs.)</p>	<p>22001 24mm</p>  <p>Reinforced Racing Tires (Hard, 24mm/2pcs.)</p>	<p>53434 24mm</p>  <p>Medium-Narrow Soft Inner Foam (1 pair)</p>
<p>53582 24mm</p>  <p>Medium-Narrow Medium Inner Foam (1 pair)</p>	<p>53435 24mm</p>  <p>Medium-Narrow Hard Inner Foam (1 pair)</p>	<p>53453 24mm</p>  <p>Medium-Narrow 6-Spoke Wheels (Offset +2)</p>	<p>22067 24mm</p>  <p>TH 10-Spoke Wheels (White) (24mm Width, Offset 0)</p>	<p>53471 24mm</p>  <p>Medium-Narrow White 5-Spoke Wheels (Offset 0)</p>	<p>51299 24mm</p>  <p>Medium-Narrow 12-Spoke Wheels 4pcs. (24mm Width/Offset+2)</p>
<p>53468 24mm</p>  <p>Medium-Narrow White Mesh Wheels (Offset 2)</p>	<p>54511</p>  <p>CA Cement for Rubber Tires (Low Viscosity, 25g)</p>				

Use tires, wheels and inner foam of the same width: either 26mm or 24mm ("medium-narrow").

BT-01 CHASSIS OPTION PARTS

※1 Some sizes of servo may not allow use of all 4 screws to attach. ※2 Used for attaching steering arms and bridge. 2 are required on the BT-01 chassis.

※3 Use with kit-included dampers. Two sets are required if fitting to both front and rear. ※4 Use with Item 22026 MB-01 Full Ball Bearing Set.

※5 Item 42323 Short Ball Connector Nuts for TRF Dampers (8pcs.) and 3mm diameter grub screws are required for attachment.

※6 Two sets are required if fitting to both front and rear. ※7 Use with Item 50592 5mm Ball Connector (10pcs.) (Only two are used.) ※8 Use with Item 42354 TRF Big Bore Dampers+ (4pcs.).

※9 Two sets are required to replace all suspension balls. ※10 See the following table for differential, drive shaft and cup joint compatibility.

	Kit-standard drive shafts	Item 42300 Double Cardan Joint Shaft (M-Chassis, 2pcs.) & Item 22054 37mm Drive Shafts for Double Cardan Joint Shafts (2pcs.) ※11	Item 53792 Assembly Universal Shaft (TT-01, TA04)
Kit-standard differential gear	Kit-standard cup joints	Use with Item 54477 Gearbox Joint for Universal Shaft (TT-02) (sold separately).	Use with Item 54477 Gearbox Joint for Universal Shaft (TT-02) (sold separately).
Item 53663 Ball Differential Set (TT-01, TGS)	Use cup joints from Item 53663.	Use with Item 53806 TT-01 Ball Differential Cup Joint for Universal Shaft (sold separately).	Use with Item 53806 TT-01 Ball Differential Cup Joint for Universal Shaft (sold separately).
Item 54875 TT-02 Oil Gear Differential Unit	Not compatible	Use cup joints from Item 54875.	Use cup joints from Item 54875.
Item 22046 XV-02/TT-02 Ball Differential Set (39T)	Not compatible	Use cup joints from Item 22046.	<ul style="list-style-type: none"> Use cup joints from Item 22046. Use with Item 51700 37mm Swing Shafts for Assembly Universal Shaft. ※12
Item 22049 XV-02/TT-02 Oil Gear Differential Unit	Not compatible	Use cup joints from Item 22049.	<ul style="list-style-type: none"> Use cup joints from Item 22049. Use with Item 51700 37mm Swing Shafts for Assembly Universal Shaft. ※12

※11 If installing Item 42300 Double Cardan Joint Shaft (M-Chassis, 2pcs.), replace drive shafts with Item 22054 37mm Drive Shafts for Double Cardan Joint Shafts (2pcs.).

※12 If using Item 22046 XV-02/TT-02 Ball Differential Set (39T) or Item 22049 XV-02/TT-02 Oil Gear Differential Unit with Item 53792 Assembly Universal Shaft (TT-01, TA04), replace drive shafts with Item 51700 37mm Swing Shafts for Assembly Universal Shaft.

- Information is current as of January 2024. ● Products may differ from the images shown.
- This catalog lists the major parts compatible with the chassis.
- See the R/C Parts Matching List on www.tamiya.com for a list of parts and their compatible chassis.